Byggvarubedömningen's guideline and information requirements for assessment of product, Version 2016-1.

These guidelines describe what information that Byggvarubedömningen requires for assessment of articles and chemical products. Information about the article or chemical product can be provided in this document, alternatively refer to another documentation in which the corresponding information is given.

1. Product information

Product

Product name:	KISO 141 White		
	12WG 0208		
Article No.:	12WG 0309 B		
Specify the type of number, for example RSK,	12WG 0409 B		
E number, EAN, GTIN or supplier's article number. This should also be stated on the	17WG D 0709 I/PB		
application.	17WG 5509 I/PB		
Product description:	EPDM cellular rubber sealing strip with carrier tape.		
On application, please attach a product data			
sheet or similar documentation.			
Type of product:	☐ Chemical product	⊠Article	
Date (year, month, day) of	2017-12-14		
preparation/revision:			
Supplier/Manufacturer			
Supplier:	KISO A/S		
Manufacturer if other than the supplier:			
Voluntary information			
Contact person:	Henrik Karnøe Bentzer		
Address:	Falkevej 9, DK-4600 Køge, Denmark		
E-mail:	hkb@kiso.dk		
Phone number:	+45 5665 0566		
Supporting documentation			
Has a declaration of performance, in line	☐ Yes	⊠No	
with the Swedish Construction Products	Li res	⊠No	
Regulation, been prepared for the			
product?			
If yes, attach the declaration of performance	ce with the application		
Is the article/product an electronic		6-2 (2)	
product and covered by the RoHS-	☐ Yes	⊠ No	
directive (2011/65/EU)?			
The state of the s	". "		
to the requirements according to the RoHS	-directive (2011/65/EU), together wi	cate that attests that the product corresponds th the application	
If the article/product is an electronic	Exemptions according to RoHS:		
product that is covered by an exemption			
according to RoHS-directive	122 Marie 199		
(2011/65/EU), specify which exemption	Date:		
and date (year, month, day) when the exemption expires if time-limited:			

2. Declaration of contents:

Does the product or any of its subcomponents, if it is a composite product, contain substances with particularly hazardous properties (Substances of Very High Concern, SVHC-substances), which are included in the Candidate List at a concentration above 0.1 weight%?	☐ Yes	⊠ No
If yes, specify which substances in Table 1.		
State the date (year, month, day) for control the Candidate List.	Date: 2017-11-17	
The concentration is calculated at component level established The Candidate List is available at: http://echa.europa.eu/sv/ca		a product, always a product".

Specify the total content of the article or the chemical product, **on delivery**, in Table 1, or alternatively attach other documentation that provides the corresponding information. For instructions, please refer to the "Declaration of contents, BVB's declaration requirements, 2016-1", which is found at the end of this document.

Table 1, Contents of included substances and material (declaration of content in accordance with requirements)

Included substances and material	No./CAS No. (alternatively alloy)	Weight% (of entire product)	When applicable, state for which subcomponent	Weight% (of substance in subcomponent)	Comments (state eventual application of non harmonized classifications)
EPDM rubber	25038-36-2	25-50 %			
Talc	14807-96-6	10-25 %			
Kaolin	1332-58-7	2.5-10 %			
Paraffin oil	64742-54-7	10-25 %			
Butyl rubber	9010-85-9	2.5-10 %			
Calcium oxide	1305-78-8	1-2.5 %			
Titanium dioxide	13463-67-7	10-25 %			
Wax	9002-88-4 and others (all not classified acc. CLP)	2.5-10 %			
Blowing agent	123-77-3	<0.1 %			
Accelerator	14726-36-4	1-2.5 %			
Zinc oxide	1314-13-2	2.5-10 %			
Zinc stearate	557-05-1	1-2.5 %			
Vulcanizing agent	231-722-6	<1 %			
Accelerator	102-08-9	<1 %			
Are all substances reported in percentage in Table 1? (enable assessment with regard to level)	es down to 0.01% to the Recommended	⊠Yes		□ No	
If not, does the report fulfill the instruction		ed 🗆 Yes		□ No	
level, which is described in "Declaration o declaration requirements, 2016-1", which end of this document	is found at the			92580073	
declaration requirements, 2016-1", which end of this document If any deviations from BVB's reporting rec specify these in the comments in Table 1,	n is found at the quirements exist,	Other co	mments:		
declaration requirements, 2016-1", which	n is found at the quirements exist, or alternatively the product when		mments:	⊠ No	

Table 2, Contents for applied products (full content in accordance with declaration requirements)

cluded substances and material	EG No./CAS No. Weight	6 Comments
--------------------------------	-----------------------	------------

				(of the applied product)	noi	ate any application of n-harmonized ssifications)
If any deviations from BVB's specify these in the commer here.	reporting requi nts in Table 2, or	rements exist, alternatively	Other comm	nents:		
Nanomaterial				1.		
Does the product contain an purposefully added to achiev Information regarding whether i achieve a specific function must	ve a specific fund	ction? neen added to	☐ Yes		⊠ No	
If yes, specify the material.			Material:			
3. Recycled rav	v material					
Does the product contain rec	cycled material?		☐ Yes		⊠ No	
If yes, specify in Table 3.						
Table 2 Degrated materials						
		Percentage (9) of the recycled me not reached the co such as production (pre-consumer)	(6) aterial that has consumer level,	Percentage (% of the recycled mate reached the consumer)	erial that has	Comments
Table 3, Recycled mater Material	Percentage (%) of the total product's weight	Percentage (9) of the recycled me not reached the co	(6) aterial that has consumer level,	Percentage (% of the recycled materiached the consum	erial that has	300 3 Mario (100 100 100 100 100 100 100 100 100 10
Table 3, Recycled mater Material	Percentage (%) of the total product's weight	Percentage (%) of the recycled me not reached the co such as production (pre-consumer)	(6) aterial that has consumer level,	Percentage (% of the recycled materiached the consum	erial that has	300 3 Mario (100 100 100 100 100 100 100 100 100 10
Material If wood raw material is in Can the product be ordered	Percentage (%) of the total product's weight ncluded with sustainabilit E.g.: FSC and PEFC	Percentage (9) of the recycled ma not reached the co such as production (pre-consumer)	fe) aterial that has consumer level, n waste, etc.	Percentage (% of the recycled materiached the consum	erial that has ner level	300 3 Mario (100 100 100 100 100 100 100 100 100 10
If wood raw material is in Can the product be ordered for the wood raw material?	Percentage (%) of the total product's weight ncluded with sustainabilit E.g.: FSC and PEFC on not cover all of	Percentage (%) of the recycled ma not reached the co such as production (pre-consumer) by certificates the wood raw ma	terial that has consumer level, in waste, etc. Yes aterial:	Percentage (%) of the recycled materiached the consumer) (post-consumer)	Private that has ner level	Comments
Material Material Can the product be ordered for the wood raw material? Explain if the certificate does If yes, attach a certificate/as application. If no, state the country when harvested.	Percentage (%) of the total product's weight ncluded with sustainabilit s.g.: FSC and PEFC not cover all of surance that the	Percentage (%) of the recycled ma not reached the co such as production (pre-consumer) by certificates the wood raw ma e product can be co material was	terial that has consumer level, in waste, etc. Yes aterial:	Percentage (% of the recycled mate reached the consumer) (post-consumer)	Private that has ner level	Comments
If wood raw material is in Can the product be ordered for the wood raw material? It Explain if the certificate does If yes, attach a certificate/as application. If no, state the country wher	Percentage (%) of the total product's weight ncluded with sustainabilit s.g.: FSC and PEFC not cover all of surance that the	Percentage (%) of the recycled ma not reached the co such as production (pre-consumer) by certificates the wood raw ma e product can be co material was	representation of the second o	Percentage (% of the recycled mate reached the consumer) (post-consumer)	Private that has ner level	Comments
Material If wood raw material is in Can the product be ordered for the wood raw material? It Explain if the certificate does If yes, attach a certificate/as application. If no, state the country when harvested. Is the wood species or origin	Percentage (%) of the total product's weight mcluded with sustainabilities. FSC and PEFC and rower all of surrance that the re the wood raw	Percentage (%) of the recycled ma not reached the co such as production (pre-consumer) by certificates the wood raw ma e product can be co material was	representation of the control of the	Percentage (% of the recycled mate reached the consumer) (post-consumer)	No No	Comments

If yes, enclose the EPD (Environmental Product Declaration) of application.	or other environmental	product declara	ation together with the
Has an active choice been made, regarding the electricity supplier, in order to promote electricity production from renewable energy sources?	☐ Yes		
Describe the type of energy source, percentage of energy ste been applied, electricity supplier, and for which part of the pro-	mming from the renevoduction it is valid for:	vable source, ho	w long the agreement has
5. Distribution of the completed produ	ıct		
Describe the management of packaging for the distribution of the product	Description of the packaging: Product is delivered on cardboard/hard plastic reels in cardboard boxes. No return system is used, but packaging careadily be recycled. Proportion of recycled material in packaging unknown.		
State whether any system for taking back or recycling packaging or any other specific return system is used.			
Specify the packaging material used and which system of producer responsibility for packaging the supplier is affiliated to.			
Enter the proportion of recycled material, if any, included in the packaging.			
Other information:			
6. Construction and usage phase			
Are there any special requirements such as storage conditions etc. for the product during storage?	☐ Yes		No
If yes, describe:			
Are there any special requirements for adjacent building products because of this product?	☐ Yes		
If yes, describe:			
Are there any operating/care instructions for the product?	☐ Yes		No
If yes, attach the documentation with the application.			
Is the product energy labelled in accordance with the Energy Labelling Directive (2010/30/EU)?	☐ Yes	□ No	⊠ Not relevant
If was state class (G to A A+ A++ A+++).			

7. Waste management

Does the product require special measures to protect health and the environment in conjunction with demolition/dismantling?	☐ Yes	⊠No
If yes, describe:		
Is the product covered by the WEEE-directive 2012/19/EU (Swedish ordinance (2014:1075) on Producer Responsibility for electrical and electronic products when it becomes waste?	☐ Yes	⊠ No
Is it possible to re-use all or parts of the product? (can the product be reused within the product's expected lifetime)?	☐ Yes	⊠No
If yes, describe:		
Is material recycling possible for all or parts of the product when it becomes waste?	☐ Yes	⊠ No
If yes, describe:	£:	
Is energy recycling possible for all or parts of the product when it becomes waste?	☐ Yes	⊠ No
Does the supplier have any restrictions and recommendations for reuse, material- or energy recycling or disposal?	☐ Yes	⊠ No
If yes, specify which:		
When the supplied product becomes waste, is it classified as hazardous waste?	☐ Yes	⊠ No
If yes, specify the waste code: The Swedish waste ordinance (2011:927) https://www.notisum.se/rnp/sls/lag/20110927.htm	Waste code:	
8. Indoor environment		
Has the product a critical moisture condition:	☐ Yes	⊠ No
Information regarding whether critical moisture conditions leading to microbial growth apply for the material/product should be stated, but will not impact the assessment.		
If yes, specify which:		l'
Is the article (or chemical product) intended for indoor use?	⊠ Yes	□ No
If yes, has emission data been produced for volatile organic compounds?	☐ Yes	⊠ No
If yes, attach the report/certificate together with the application	on.	
If no, is there any motivation for why emission data for volatile organic compounds is not relevant for the product?	Motivation: Components not vo	olatile under intended conditions

Place and date (year, month, day):

Køge, 2017-12-14

Declaration of contents, BVB's declaration requirements, 2016-1

A complete declaration of contents in accordance with the instructions should be made for both products and chemical products. For products, concentrations have to be reported as a weight% for the entire product as minimum. The contents can be provided in other documentation, if the reporting instructions are complied with, or alternatively supplemented so that they are in compliance. Reporting requirements for the Accepted level correspond to the requirements for "e-BVD2015".

For the Accepted and Recommended levels, classified substances are needed to be reported in the documentation if concentrations exceed limits (weight%) in accordance with *Table 5*, *Classified substances*. Those substances that are not included in Table 5 must be reported when concentrations of \geq 2% occur.

Material and substance contains can be provided in intervals. Examples of accepted intervals are: $\leq 1\%$, 1-2.5%, 2.5-10%, 10-25%, 25-50%, 50-75%, 75-100%. In occasion of large intervals, state the reason for the variance and describe what materials/substances increase or decrease in proportion if the product, for example, comes in different sizes.

If classification is applied that is not covered by harmonized classification, this information requires to be reported in the comments column for that substance.

Table 5, Classified substances

Hazard class	Reporting limit		
	Accepted	Recommended	
Carcinogenic categories 1A and 1B (H350)	≥ 0.1%	≥ 0.01%	
Carcinogenic category 2 (H351)	≥ 1%	≥ 0.1%	
Mutagenic categories 1A and 1B (H340)	≥ 0.1%	≥ 0.01%	
Mutagenic category 2 (H341)	≥ 1%	≥ 0.1%	
Reproductive toxicity, categories 1A and 1B (H360)	≥ 0.3%	≥ 0.03%	
Reproductive toxicity, category 2 (H361)	≥ 2%	≥ 0.3%	
Reproductive toxicity effects on or through breastfeeding (H362)	≥ 0.3%	≥ 0.03%	
Endocrine disruptors 1,2	≥ 0.1%	≥ 0.01%	
PBT and/or vPvB ³	≥ 0.1%	≥ 0.01%	
Skin sensitizers (H317)	≥ 1%	≥ 0.1%	
Respiratory sensitizers (H334)	≥ 0.2%	≥ 0.02%	
Hazardous to aquatic environments, chronic category 1 (H410)	≥ 2%	≥ 0.25%	
Ozone depleting substances (EUH 059 and H420)	≥ 0.1%	≥ 0.01%	
Acute toxicity category 1 (H300, H310, H330, H301, H311 and/or H331)	≥ 0.1%	≥ 0.01%	
Acute toxicity category 2 (H300, H310, H330, H301, H311 and/or H331)	≥ 1%	≥ 0.1%	
Acute toxicity category 3 (H300, H310, H330, H301, H311 and/or H331)	≥ 2%	≥ 1%	
Pure or compounds of cadmium (Cd)	≥ 0.01%	≥ 0.001%	
Pure or compounds of lead (Pb)	≥ 0.1%	≥ 0.01%	
Pure or compounds of mercury (Hg)	Contamination ≥ 2.5 mg/kg (ppm) of activadditives must always be reported.		
¹ Endocrine disruptors (EDS list)	≥ 0.1%	≥ 0.01%	
² Endocrine disruptors (SIN list)		≥ 0.01%	
³ PBT, vPvB (SIN list)	≥ 0.1%	≥ 0.01%	
Candidate List	≥0.1%*	≥ 0.01%	
Other classifications or unclassified substances and material	≥ 2%	≥ 2%	

^{*}Substances on the Candidate List have to be reported at component level.

Descriptions of material

Substances should be reported with their CAS- or EC number. Exemptions for certain material can be performed in accordance with the following instructions.

Metals should always be reported together with their alloy number. Alternatively, substances comprising more than 0.01% of the alloy has to be specified in the documentation.

Plastics and rubber materials should be reported together with their name so that it is clearly which monomers that are included, for example, acrylonitrile butadiene styrene (ABS), polyethylene (PE), etc. Additives that have not formed polymers should always be reported in accordance with requirements specified above (for example pigments, plasticizers, stabilizers, etc.).

Plastics/polymers with descriptions in line with the following list are accepted without specification of monomers.

- Polycarbonate (pertains to bisphenol A based polycarbonates)
- Polyester (monomers must be specified for halogenated polyesters)
- Polyurethane (monomers must be specified for halogenated polyurethanes)
- Fiberglass reinforced epoxy resin laminates FR4 (pertains to tetrabromobisphenol A based polymers)
- MS-polymer (refers to silane modified polyether)

Note that if the plastic/polymer contains additives (such as pigments, plasticizers, stabilizers, etc.), they shall always be reported in accordance with the declaration requirements.

Other materials with the following descriptions are accepted without clarification or detailed description of their components as the materials normally consist of:

- Glass (any content of lead needs to be reported for the assessment level recommended, e.g. relevant for recycled glass)
- Concrete (polymers included in the concrete are reported separately)

Examples of designations of plastics/polymers and other material descriptions that require further clarification are:

- Polymer dispersion
- Copolymer
- Thermoplastic elastomers (TPE)
- Thermoplastics
- MS polymers
- Mineral fillers
- Silanes: The type of polymer needs to be given, e.g. if it refers to a silane/silyl modified polyether or polyurethane.
- PVC: for contents above 2%, plasticizers always needs to be given with CAS no.
 Concentration of plasticizers below 2%, needs to be declared according to declaration requirements specified in Table 5. If no plasticizer is declared, the reason for that needs to be given.
- EPDM and SBR rubber: for levels above 2%, mineral/paraffin oil always needs to be given
 with CAS no. As an alternative, the maximal PAH content in the material can be given. For
 products intended to be used in contact with skin, the maximum content of PAH content shall
 be reported.
- The PAH content in the material needs to be reported for the assessment level recommended when asphalt/bitumen is present above 10% in the product.

For complex products, references to subcomponents which are assessed in BVB's systems with a specified BVB ID, can be used.