

Topside Panel Interface

(Topside panels with "Menu" GUI)



Topside Panel: spaTouch 1
(software version 2.8 or above)




Topside Panel: TP800
(software version 4.11 or above)



Topside Panel: TP900


Home Screen



Select "A / V" to navigate to the Bluetooth screen.

"A / V" only appears on the topside panel display if bba2 has been properly connected to the system.

Bluetooth Screen




The "Source" button switches between Bluetooth, USB, and Line In input modes.


Determine Panel Software Version

(Topside panels with "Menu" GUI)


Home Screen



Begin navigation by selecting "Settings."



Select "Information."




Select "Panel Version." The panel software version appears at the bottom of the screen. In this example it's 4.11.

Bluetooth Connection

(Topside panels with "Menu" GUI)

1 - Power up the system pack with bba2 already connected to the system pack.



Topside Panel Options



Topside Panel: spaTouch 1
(software version 2.8 or above)




Topside Panel: TP800
(software version 4.11 or above)




Topside Panel: TP900

2 - On the topside panel select the "A / V".


2A - Select "A / V" on the topside panel.




2B - Select "Power." "Discoverable" may appear.



2C - Next, "BT Not Connected" appears.



Refer to step 6 below.



3 - Turn on Bluetooth function of your smart device or music device.



4 - On your smart device or music device, click search for Bluetooth device. Make sure you are close enough to the spa tub.

5 - Select "PPME70BT" from the pairing list.

6 - Click "Connect." Once connected, you can now play your favorite music from your smart device or music device. "BT Connected" appears on the topside panel display.

bba2 operates up to 100 feet in open air. Ranges vary as they are dependant on installations.