

PRODUKTBLAD

Informationen i produktbladet är sammanställd i enlighet med kommissionens delegerade förordning (EU) nr 65/2014 om komplettering av Europaparlamentets och rådets direktiv 2010/30/EU vad gäller energimärkning av ugnar och köksfläktar för hushållsbruk.

A	Företagets namn	Cylinda
B1		S 6352 K
B2	Modell-idnummer	5022CE1.316eDG(W)
B3		56640
C	Energieffektivitetsindex (EEl kavitet)	95,2
D	Energieffektivitetsklass	A
E		
E1	Energiförbrukning per cykel (EC electric cavity) konventionellt läge [kWh]	0,80
E2	varmluftsläge [kWh]	-
F	Antal kaviteter	1
G	Värmekälla (el eller gas)	V / O
H	Kavitetens volym [l]	70

Beräknings- och mätmetoder enligt följande standarder användes för att fastställa resultaten i enlighet med kraven som avser ekodesign:

EN 60350-1

EN 60350-2

PRODUKTINFORMATION

Produktinformationen är sammanställd i enlighet med kommissionens förordning (EU) nr 66/2014 om komplettering av Europaparlamentets och rådets direktiv 2009/125/EC vad gäller ekodesign av ugnar, spisar och köksfläktar för hushållsbruk.

Hushållsugnar

I1		S 6352 K
I2	Modell-idnummer	5022CE1.316eDG(W)
I3		56640
J	Ugnstyp (el eller gas)	V / O
K	Produktens vikt [kg]	32,0
L	Antal kaviteter	1
M	Värmekälla för varje kavitet (el eller gas)	V / O
N	Volym för varje kavitet V [l]	70
O	Energiförbrukning som krävs för att värma upp en standardiserad last i en kavitet i en elektriskt uppvärmd hushållsugn under en cykel i konventionellt läge (slutlig elektrisk energiförbrukning) EC electric cavity [kWh/cykel].	0,80
P	Energiförbrukning som krävs för att värma upp en standardiserad last i en kavitet i en elektriskt uppvärmd hushållsbruk under en cykel i varmluftsläge (slutlig elektrisk energiförbrukning) EC electric cavity [kWh/cykel].	-
Q	Energieffektivitetsindex EEI kavitet för varje kavitet	95,2

PRODUKTINFORMATION

Produktinformationen är sammanställd i enlighet med kommissionens förordning (EU) nr 66/2014 om komplettering av Europaparlamentets och rådets direktiv 2009/125/EC vad gäller ekodesign av ugnar, spisar och köksfläktar för hushållsbruk.

Elektrisk håll för huskållsbruk

R1			S 6352 K
R2	Modell-idnummer		5022CE1.316eDG(W)
R3			56640
S	Hålltyp (Elektrisk håll / Gashäll / Gashäll-Elektrisk)		V / O / O
T	Antal kokzoner		4
U	Värmeteknik (induktionskokzoner eller värmezoner, strålningsvärmezoner, gjutjärnhållar)		O / V / O
V1	Användbar ytdiameter för elektriska kokzon avrundat till närmaste 5 mm [Ø cm] / Längd och bredd för användbart ytområde per elektriskt uppvärmd kokzon, avrundat till närmaste 5 mm. (L x W [cm])	FL	Ø 18,0
V2		RL	Ø 14,5
V3		RR	Ø 18,0
V4		FR	Ø 14,5
W1	Energiförbrukning för varje elektrisk kokzon per kg, EC elektrisk matlagning [Wh/kg]	FL	193,5
W2		RL	193,5
W3		RR	193,5
W4		FR	193,5
X	Hållens energiförbrukning per kg EC elektrisk håll [Wh/kg]		193,5

PRODUCT FICHE

The information in the product data sheet is given in accordance with the Commission delegated Regulation (EU) No 65/2014 supplementing Directive of the European Parliament and of the Council 2010/30/EU with regard to energy labelling of household ovens and range hoods

A	Supplier name	Cylinda
B1	Model identifier	S 6352 K
B2		5022CE1.316eDG(W)
B3		56640
C	Energy efficiency index (EEI cavity)	95,2
D	Energy efficiency class	A
E	Energy consumption per cycle (EC electric cavity) conventional mode [kWh] fan-forced mode [kWh]	0,80 -
E1		
E2		
F	Number of cavities	1
G	Heat source (electricity or gas)	V / O
H	Cavity volume [l]	70

In order to determine compliance with the eco-design requirements, the measurement methods and calculations of the following standards were applied:

EN 60350-1

EN 60350-2

PRODUCT INFORMATION

Product information given in accordance with Commission Regulation (EU) No 66/2014 supplementing Directive of the European Parliament and Council Directive 2009/125/EC with regard to eco-design requirements for household ovens, hobs and range hoods

Household ovens

I1		S 6352 K
I2	Model identifier	5022CE1.316eDG(W)
I3		56640
J	Oven type (electricity or gas)	V / O
K	Appliance weight [kg]	32,0
L	Number of cavities	1
M	Source of heat for each cavity (electricity or gas)	V / O
N	Volume of each cavity V [l]	70
O	Energy consumption needed to heat a standard charge in an electric oven cavity during a single cycle in conventional mode for each cavity (final electric energy consumption) EC electric cavity [kWh/cycle]	0,80
P	Energy consumption needed to heat a standard charge in an electric oven cavity during a single cycle in fan-forced mode for each cavity (final electric energy consumption) EC electric cavity [kWh/cycle]	-
Q	Energy efficiency index EEI cavity for each cavity	95,2

PRODUCT INFORMATION

Product information given in accordance with Commission Regulation (EU) No 66/2014 supplementing Directive of the European Parliament and Council Directive 2009/125/EC with regard to eco-design requirements for household ovens, hobs and range hoods

Household electric hobs

R1			S 6352 K
R2	Model identifier	5022CE1.316eDG(W)	
R3		56640	
S	Hob type (electric / gas / gas-electric)		V / O / O
T	Number of cooking zones		4
U	Heating technique (induction cooking zones or heating areas, radiant heating zones, solid hobs)		O / V / O
V1	Usable surface diameter for electric cooking zone rounded to 5 mm [Ø cm] / Length and width of useful surface area per electric heated cooking zone or area, rounded to the nearest 5 mm (L x W [cm])	FL	Ø 18,0
V2		RL	Ø 14,5
V3		RR	Ø 18,0
V4		FR	Ø 14,5
W1	Energy consumption for each cooking zone per kg, EC electric cooking [Wh/kg]	FL	193,5
W2		RL	193,5
W3		RR	193,5
W4		FR	193,5
X	Energy consumption by the hob per kg EC electric hob [Wh/kg]		193,5

