

## PRODUCT INFORMATION



# LONDON

Item number: 540.42.2378.2

ANUAL ENERGY CONSUMPTION ( $AEC_{hood}$ )	49,1 kWh/a
ENERGY EFFICIENCY CLASS ( $EEI_{class}$ )	A
FLUID DYNAMIC EFFICIENCY ( $FDE_{hood}$ )	28,9 %
FLUID DYNAMIC EFFICIENCY CLASS ( $FDE_{class}$ )	A
LIGHTNING EFFICIENCY ( $LE_{hood}$ )	40,0 lux/W
LIGHTNING EFFICIENCY CLASS ( $LE_{class}$ )	A
GREASE FILTERING EFFICIENCY ( $GFE_{hood}$ )	47 %
GREASE FILTERING EFFICIENCY CLASS ( $GFE_{class}$ )	F
MINIMUM AIRFLOW ( $Q_{min}$ )	302 m <sup>3</sup> /h
MAXIMUM AIRFLOW ( $Q_{max}$ )	591 m <sup>3</sup> /h
AIRFLOW – BOOST ( $Q_{boost}$ )	719 m <sup>3</sup> /h
MINIMUM SOUND POWER LEVEL ( $L_{WA min}$ )	44 dBA
MAXIMUM SOUND POWER LEVEL ( $L_{WA max}$ )	58 dBA
SOUND POWER LEVEL – BOOST ( $L_{WA boost}$ )	63 dBA
POWER CONSUMPTION OFF-MODE ( $P_0$ )	- W
STANDBY POWER ( $P_s$ )	0,99 W
HEIGHT	482 mm*
DEPTH	387 mm*
WIDTH	760 mm*

\*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

## PRODUCT INFORMATION



# LONDON

Item number: 540.42.2398.2

ANUAL ENERGY CONSUMPTION ( $AEC_{hood}$ )	49,1 kWh/a
ENERGY EFFICIENCY CLASS ( $EEI_{class}$ )	A
FLUID DYNAMIC EFFICIENCY ( $FDE_{hood}$ )	28,9 %
FLUID DYNAMIC EFFICIENCY CLASS ( $FDE_{class}$ )	A
LIGHTNING EFFICIENCY ( $LE_{hood}$ )	40,0 lux/W
LIGHTNING EFFICIENCY CLASS ( $LE_{class}$ )	A
GREASE FILTERING EFFICIENCY ( $GFE_{hood}$ )	47 %
GREASE FILTERING EFFICIENCY CLASS ( $GFE_{class}$ )	F
MINIMUM AIRFLOW ( $Q_{min}$ )	302 m <sup>3</sup> /h
MAXIMUM AIRFLOW ( $Q_{max}$ )	591 m <sup>3</sup> /h
AIRFLOW – BOOST ( $Q_{boost}$ )	719 m <sup>3</sup> /h
MINIMUM SOUND POWER LEVEL ( $L_{WA min}$ )	44 dBA
MAXIMUM SOUND POWER LEVEL ( $L_{WA max}$ )	58 dBA
SOUND POWER LEVEL – BOOST ( $L_{WA boost}$ )	63 dBA
POWER CONSUMPTION OFF-MODE ( $P_0$ )	- W
STANDBY POWER ( $P_s$ )	0,99 W
HEIGHT	482 mm*
DEPTH	387 mm*
WIDTH	900 mm*

\*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"