

PRODUCT INFORMATION



SWINDON

Item number: 545.21.7062.2

ANUAL ENERGY CONSUMPTION (AEC_{hood})	96,0 kWh/a
ENERGY EFFICIENCY CLASS (EEI_{class})	D
FLUID DYNAMIC EFFICIENCY (FDE_{hood})	13,0 %
FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class})	D
LIGHTNING EFFICIENCY (LE_{hood})	35,2 lux/W
LIGHTNING EFFICIENCY CLASS (LE_{class})	A
GREASE FILTERING EFFICIENCY (GFE_{hood})	84,3 %
GREASE FILTERING EFFICIENCY CLASS (GFE_{class})	C
MINIMUM AIRFLOW (Q_{min})	412,2 m ³ /h
MAXIMUM AIRFLOW (Q_{max})	570,9 m ³ /h
AIRFLOW – BOOST (Q_{boost})	- m ³ /h
MINIMUM SOUND POWER LEVEL ($L_{WA min}$)	61 dBA
MAXIMUM SOUND POWER LEVEL ($L_{WA max}$)	67 dBA
SOUND POWER LEVEL – BOOST ($L_{WA boost}$)	- dBA
POWER CONSUMPTION OFF-MODE (P_0)	- W
STANDBY POWER (P_s)	0,48 W
HEIGHT	80 mm*
DEPTH	500 mm*
WIDTH	600 mm*

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

PRODUCT INFORMATION



SWINDON

Item number: 545.21.7072.2

ANUAL ENERGY CONSUMPTION (AEC_{hood})	96,0 kWh/a
ENERGY EFFICIENCY CLASS (EEI_{class})	D
FLUID DYNAMIC EFFICIENCY (FDE_{hood})	13,0 %
FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class})	D
LIGHTNING EFFICIENCY (LE_{hood})	30,3 lux/W
LIGHTNING EFFICIENCY CLASS (LE_{class})	A
GREASE FILTERING EFFICIENCY (GFE_{hood})	84,3 %
GREASE FILTERING EFFICIENCY CLASS (GFE_{class})	C
MINIMUM AIRFLOW (Q_{min})	412,2 m ³ /h
MAXIMUM AIRFLOW (Q_{max})	570,9 m ³ /h
AIRFLOW – BOOST (Q_{boost})	- m ³ /h
MINIMUM SOUND POWER LEVEL ($L_{WA min}$)	62 dBA
MAXIMUM SOUND POWER LEVEL ($L_{WA max}$)	67 dBA
SOUND POWER LEVEL – BOOST ($L_{WA boost}$)	- dBA
POWER CONSUMPTION OFF-MODE (P_0)	- W
STANDBY POWER (P_s)	0,48 W
HEIGHT	80 mm*
DEPTH	500 mm*
WIDTH	700 mm*

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

PRODUCT INFORMATION



SWINDON

Item number: 545.21.7092.2

ANUAL ENERGY CONSUMPTION (AEC_{hood})	96,0 kWh/a
ENERGY EFFICIENCY CLASS (EEI_{class})	D
FLUID DYNAMIC EFFICIENCY (FDE_{hood})	13,0 %
FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class})	D
LIGHTNING EFFICIENCY (LE_{hood})	30,3 lux/W
LIGHTNING EFFICIENCY CLASS (LE_{class})	A
GREASE FILTERING EFFICIENCY (GFE_{hood})	84,3 %
GREASE FILTERING EFFICIENCY CLASS (GFE_{class})	C
MINIMUM AIRFLOW (Q_{min})	412,2 m ³ /h
MAXIMUM AIRFLOW (Q_{max})	570,9 m ³ /h
AIRFLOW – BOOST (Q_{boost})	- m ³ /h
MINIMUM SOUND POWER LEVEL ($L_{WA min}$)	62 dBA
MAXIMUM SOUND POWER LEVEL ($L_{WA max}$)	68 dBA
SOUND POWER LEVEL – BOOST ($L_{WA boost}$)	- dBA
POWER CONSUMPTION OFF-MODE (P_0)	- W
STANDBY POWER (P_s)	0,48 W
HEIGHT	80 mm*
DEPTH	500 mm*
WIDTH	900 mm*

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"