

PRODUCT INFORMATION



BRISTOL WALL

Item number: 545.21.2268.2

ANUAL ENERGY CONSUMPTION (AEC_{hood})	41,7 kWh/a
ENERGY EFFICIENCY CLASS (EEI_{class})	A
FLUID DYNAMIC EFFICIENCY (FDE_{hood})	31,5 %
FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class})	A
LIGHTNING EFFICIENCY (LE_{hood})	28,8 lux/W
LIGHTNING EFFICIENCY CLASS (LE_{class})	A
GREASE FILTERING EFFICIENCY (GFE_{hood})	81,5 %
GREASE FILTERING EFFICIENCY CLASS (GFE_{class})	C
MINIMUM AIRFLOW (Q_{min})	407,6 m ³ /h
MAXIMUM AIRFLOW (Q_{max})	623,2 m ³ /h
AIRFLOW – BOOST (Q_{boost})	- m ³ /h
MINIMUM SOUND POWER LEVEL ($L_{WA min}$)	42,2 dBA
MAXIMUM SOUND POWER LEVEL ($L_{WA max}$)	66,9 dBA
SOUND POWER LEVEL – BOOST ($L_{WA boost}$)	- dBA
POWER CONSUMPTION OFF-MODE (P_0)	0 W
STANDBY POWER (P_s)	- W
HEIGHT	70 mm*
DEPTH	500 mm*
WIDTH	600 mm*

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

PRODUCT INFORMATION



BRISTOL WALL

Item number: 545.21.2298.2

ANUAL ENERGY CONSUMPTION (AEC_{hood})	41,7 kWh/a
ENERGY EFFICIENCY CLASS (EEI_{class})	A
FLUID DYNAMIC EFFICIENCY (FDE_{hood})	31,5 %
FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class})	A
LIGHTNING EFFICIENCY (LE_{hood})	28,8 lux/W
LIGHTNING EFFICIENCY CLASS (LE_{class})	A
GREASE FILTERING EFFICIENCY (GFE_{hood})	81,5 %
GREASE FILTERING EFFICIENCY CLASS (GFE_{class})	C
MINIMUM AIRFLOW (Q_{min})	407,6 m ³ /h
MAXIMUM AIRFLOW (Q_{max})	623,2 m ³ /h
AIRFLOW – BOOST (Q_{boost})	- m ³ /h
MINIMUM SOUND POWER LEVEL ($L_{WA min}$)	42,2 dBA
MAXIMUM SOUND POWER LEVEL ($L_{WA max}$)	66,9 dBA
SOUND POWER LEVEL – BOOST ($L_{WA boost}$)	- dBA
POWER CONSUMPTION OFF-MODE (P_0)	0 W
STANDBY POWER (P_s)	- W
HEIGHT	70 mm*
DEPTH	500 mm*
WIDTH	890 mm*

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"